



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

APPLICATION NUMBER	FILING DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NO.
--------------------	-------------	-----------------------	---------------------

D.B. 08/420,233 04/11/95 LEWNO J EXAMINER NO 2-P 569
PRICE HENEVELD COOPRR 15M1/0918 N ISLAND, P
DEWITT AND LITTON ART UNIT PAPER NUMBER ✓
695 KENMOOR DRIVE SE
PO BOX 2567 DATE MAILED:
GRAND RAPIDS MI 49501 1511
09/18/96

This is a communication from the examiner in charge of your application.
COMMISSIONER OF PATENTS AND TRADEMARKS

OFFICE ACTION SUMMARY

Responsive to communication(s) filed on _____

This action is FINAL.

Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 D.C. 11; 453 O.G. 213.

A shortened statutory period for response to this action is set to expire 3 month(s), or thirty days, whichever is longer, from the mailing date of this communication. Failure to respond within the period for response will cause the application to become abandoned. (35 U.S.C. § 133). Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).

Disposition of Claims

Claim(s) 1-130 is/are pending in the application.

Of the above, claim(s) _____ is/are withdrawn from consideration.

Claim(s) _____ is/are allowed.

Claim(s) 1-130 is/are rejected.

Claim(s) _____ is/are objected to.

Claims _____ are subject to restriction or election requirement.

Application Papers

See the attached Notice of Draftsperson's Patent Drawing Review, PTO-948.

The drawing(s) filed on _____ is/are objected to by the Examiner.

The proposed drawing correction, filed on _____ is approved disapproved.

The specification is objected to by the Examiner.

The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. § 119

Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).

All Some* None of the CERTIFIED copies of the priority documents have been received.

received in Application No. (Series Code/Serial Number) _____.

received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

*Certified copies not received: _____

Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

Attachment(s)

Notice of Reference Cited, PTO-892

Information Disclosure Statement(s), PTO-1449, Paper No(s). 2 (75 sheets)

Interview Summary, PTO-413

Notice of Draftsperson's Patent Drawing Review, PTO-948

Notice of Informal Patent Application, PTO-152

Art Unit: 1511

15. Page 19 of the instant specification, line 4 is incomplete. Completion or deletion of this portion is required.

16. The following is a quotation of 35 U.S.C. § 103 which forms the basis for all obviousness rejections set forth in this Office action:

A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Subject matter developed by another person, which qualifies as prior art only under subsection (f) or (g) of section 102 of this title, shall not preclude patentability under this section where the subject matter and the claimed invention were, at the time the invention was made, owned by the same person or subject to an obligation of assignment to the same person.

17. Claims 1-130 are rejected under 35 U.S.C. § 103 as being unpatentable over US Pat. No. 5342867 Ryan et al. in view of US Pat. No. 4963636 Mulhaupt et al., SAE Technical paper series 910758 "Application of RIM Urethane to One Side of Glass for Automotive Windows" Csokasy et al., US Pat. No. 3282014 Bamford et al., US Pat. No. 5072984 Jackson, US Pat. No. 5294168 Kronbetter, US Pat. No. 4793099 Friese et al., US Pat. No. 5508111 Schmucker, US Pat. No. 5338767 Sartelet et al. , US Pat. No. 4364214 Morgan et al., US Pat. No. 4743672 Goel, US Pat. No. 5529655 Bravet et al., Betamate 73100/73003 Technical Bulletin, the Betamate Structural Adhesives data table, and US Pat. No. 4995666 Schurmann.

Art Unit: 1511

Ryan et al. discloses the use of a two component polyurethane adhesive for the bonding of glass to metal such as in a windshield bonded to an automobile, which falls within the scope of the instant claims 1-8 and 18-19. The patentee is silent as to the tensile force that the bonded assembly could withstand. However, it is expected that the windshield assembly would necessarily need to withstand the tensile force of the instant claim 88 inherently. The burden is on the applicant to show that the glass to metal bond of Ryan et al. using the two component polyurethane does not inherently possess the tensile force of the instant claim 88. See column 1, lines 4-13; column 2, lines 16-21; column 5, lines 66-68; and column 6, lines 26-33.

Sartelet et al. shows two component polyurethanes to be useful for bonding windows to window profiles at column 1, lines 15-31 and that such adhesives may be cured in 1 minute to about 5 hours (column 1, line 65 to column 2, line 11).

Csokasy et al. teaches the bonding strength of two component polyurethanes to glass. See the entire document. Note that RIM polyurethanes are two component polyurethanes. Figure two shows the use of glass frit to aid adhesion through the clear increase of surface area and corresponding increase in the number of adhesive bonds which give greater overall adhesion.

Mulhaupt et al. discloses the use of two component polyurethanes as adhesives for bonding metal, glass, and plastics (column 3, lines 24-44; column 4, lines 55-68; column

Art Unit: 1511

5, lines 1-16 and 65-68; and column 6, lines 1-16. Column 6, lines 55-56 show that the intention of the patentee is to bond glass to metal.

Goel discloses the use of two component polyurethanes for bonding glass, metal, and plastic and the reasons which polyurethane adhesives are desirable in such bonding uses at column 1, lines 5-68; column 2, lines 1-68; column 3, lines 1-68; column 4, lines 1-68; and column 5, lines 1-21.

Bravet et al. discloses the use of two component polyurethanes to adhere safety glass to the vehicle at column 1, lines 41-52 and throughout the reference.

Schurmann discloses the window mechanical structure, including the use of adhesive in general (column 2, lines 57-61) for the use of adhesive and the entire document), of the instant claims 1-46 and 71-123, but not the particulars of the adhesion composition and attachment points such as glass frit and primer.

Friese et al. discloses the mechanical structure of the sliding window of the instant claims 126-130 except that it does not disclose the use of the instantly claimed adhesive. See the entire document.

Kronbetter discloses the mechanical structure of the sliding window of the instant claims 126-130 except that it does not disclose the use of the instantly claimed adhesive. See the entire document.

Art Unit: 1511

Jackson discloses the mechanical structure of the window of the instant claims 124-125 except that it does not disclose the use of the instantly claimed adhesive. See the entire document.

It would have been obvious to one of ordinary skill in the art at the time of the instant invention to use the adhesives of the instant claims to adhere automotive window glass to any of the instantly claimed assemblies because it is generally known to adhere glass to metal or plastic using the instantly claimed two component polyurethane compositions, as shown by Ryan et al., Sartelet et al., Csokasy et al., Mulhaupt et al., and Goel, Bravet et al. and column 2, lines 52-61 teaches why one would desire to adhesively bond glass to the instantly claimed assemblies which are already known as described above.

It would have been obvious to one of ordinary skill in the art at the time of the instant invention to use the two component polyurethane adhesive of Schmucker as the two component polyurethane adhesive referred to in the above paragraph because the skilled artisan would have expected such a polyurethane to adhere to primed glass and metal, as taught above and at column 4, lines 37-51 in addition to lending the improved properties of Schmucker to the adhered assembly and the method of making the assembly. The composition of Schmucker falls within the scope of the composition of the instant claims 1-29, 33-57, and 60-130. See the entire document.

Art Unit: 1511

It would have been obvious to one of ordinary skill in the art at the time of the instant invention to use the amines of the instant claims 30-32 and 58-59 in the above discussed two component polyurethane adhesives because they are expected to give the sag resistance formed via the hydrogen bonding of the urea groups formed upon their rapid reaction with NCO as described by Goel and Schmucker and the applicant states that these are conventionally used in two part polyurethane adhesives such as the betamates described above.

It would have been obvious to one of ordinary skill in the art at the time of the instant invention to apply the adhesive bead discussed above in the thicknesses of the instant claims because such thicknesses are expected to be conventionally used and the skilled artisan understands that the adhesive must be thick enough to take advantage of the shock absorbance of the elastomeric polyurethanes yet be thin enough so that the adhesive bead is not torn by the weight of the window. Goel describes polyurethane flexibility, shock, and impact resistance at column 1, lines 20-28, which the ordinary skilled artisan will appreciate as leading to the stated conclusion of the examiner with regard to adhesive bead thickness.

It would have been obvious to one of ordinary skill in the art at the time of the instant invention to use the glass primers and the fritted glass of the instant claims to increase the bonding of the polyurethane to glass because such expedients are known to the ordinary skilled artisan as taught by Morgan et al. in the abstract, Csokasy et al. at

Art Unit: 1511

Figure 2, and Bamford et al. at column 2, lines 22-60 and such fritted material will provide an area of larger surface area to which the adhesive can bond more strongly due to the corresponding increased number of adhesive bonds and mechanical friction.

The method of adhesion of the instant claims is encompassed by that of the above references to bonding glass to a structural member with two component polyurethane.

It would have been obvious to one of ordinary skill in the art at the time of the instant invention to use the automated application methods of the instant claims and inductive heating according to the instant claim 69 because inductive heating of two component polyurethanes is well known for increasing cure rates of the urethanes as taught by the Betamate Structural Adhesives data table which states "All Two Component Urethanes Can Be Induction Cured." and Betamate 73100/73003 Technical Bulletin describes the automated application of such polyurethane adhesives and the instant specification shows the claimed apparatus limitations to be well known.

18. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick Niland on Monday to Friday from 9:30 to 6:00 whose telephone number is (703) 308-3510. If the examiner cannot be reached and the inquiry is urgent, call Paul Michl at (703) 308-2451. Direct any faxes to members of Art Unit 1511 to (703) 305-5433.

pn

Serial Number: 08/420233

-8-

Art Unit: 1511

September 5, 1996


Patrick Niland
Patent Examiner
Art Unit 1511